

**Section: 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : GREASELIFT  
 Other means of identification : Not applicable.  
 Recommended use : Degreaser  
 Restrictions on use : Reserved for industrial and professional use.

Product dilution information : 17.3 %

Company : Ecolab Co.  
 5105 Tomken Road  
 Mississauga, Ontario Canada L4W 2X5  
 1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/21/2015

**Section: 2. HAZARDS IDENTIFICATION**
**GHS Classification**
**Product AS SOLD**

Acute toxicity (Oral) : Category 4  
 Skin corrosion : Category 1B  
 Serious eye damage : Category 1  
 Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

**Product AT USE DILUTION**

Eye irritation : Category 2B

**GHS Label element**
**Product AS SOLD**

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Harmful if swallowed.  
 Causes severe skin burns and eye damage.  
 May cause respiratory irritation.

Precautionary Statements : **Prevention:**  
 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. IF SWALLOWED: rinse mouth. Do NOT

# SAFETY DATA SHEET

## GREASELIFT

induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Product AT USE DILUTION**

Signal Word : Warning

Hazard Statements : Causes eye irritation.

Precautionary Statements : **Prevention:**  
Wash skin thoroughly after handling.  
**Response:**  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Product AS SOLD**

Other hazards : None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS****Product AS SOLD**

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
Benzyl alcohol	100-51-6	30 - 60
monoethanolamine	141-43-5	10 - 30
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	10 - 30
2-(2-aminoethoxy)ethanol	929-06-6	1 - 5
D-gluconic acid, compound with 2,2',2''-nitrilotrisethanol (1:1)	42728-79-0	1 - 5

**Product AT USE DILUTION**

Chemical Name	CAS-No.	Concentration: (%)
Benzyl alcohol	100-51-6	5 - 10
monoethanolamine	141-43-5	1 - 5
benzenesulfonic acid, dodecyl-, compd. with 2-aminoethanol (1:1)	26836-07-7	1 - 5

**Section: 4. FIRST AID MEASURES****Product AS SOLD**

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

## SAFETY DATA SHEET

### GREASELIFT

a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

#### Product AT USE DILUTION

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.

### Section: 5. FIREFIGHTING MEASURES

#### Product AS SOLD

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:  
Carbon oxides  
nitrogen oxides (NOx)  
Sulphur oxides  
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Risk of explosion. : Not available.

### Section: 6. ACCIDENTAL RELEASE MEASURES

#### Product AS SOLD

# SAFETY DATA SHEET

## GREASELIFT

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### Product AT USE DILUTION

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

## Section: 7. HANDLING AND STORAGE

### Product AS SOLD

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

### Product AT USE DILUTION

- Advice on safe handling : Wash hands thoroughly after handling.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

## Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Product AS SOLD

#### Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL
monoethanolamine	141-43-5	STEL	6 ppm 15 mg/m <sup>3</sup>	CAD AB OEL
		TWA	3 ppm	CAD AB OEL

# SAFETY DATA SHEET

## GREASELIFT

			7.5 mg/m <sup>3</sup>	
		TWA	3 ppm	CAD BC OEL
		STEL	6 ppm	CAD BC OEL
		VME	3 ppm 7.5 mg/m <sup>3</sup>	OEL (QUE)
		STEV	6 ppm 15 mg/m <sup>3</sup>	OEL (QUE)
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m <sup>3</sup>	NIOSH REL
		STEL	6 ppm 15 mg/m <sup>3</sup>	NIOSH REL
		TWA	3 ppm 6 mg/m <sup>3</sup>	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:  
Standard glove type.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

### Product AT USE DILUTION

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

### Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

## Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

### Product AS SOLD

### Product AT USE DILUTION

liquid

# SAFETY DATA SHEET

## GREASELIFT

Colour	: clear, dark orange	light yellow
Odour	: slight	slight
pH	: 10.1 - 10.9, 1 %	10.6
Flash point	: 96 °C closed cup, Sustains combustion	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: > 100 °C	
Evaporation rate	: no data available	
Flammability (solid, gas)	: no data available	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.046 - 1.066	
Water solubility	: soluble	
Solubility in other solvents	: no data available	
Partition coefficient: n-octanol/water	: no data available	
Auto-ignition temperature	: no data available	
Thermal decomposition	: no data available	
Viscosity, kinematic	: 21.820 mm <sup>2</sup> /s (40 °C)	
Explosive properties	: no data available	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	
Molecular weight	: no data available	
VOC	: no data available	

### Section: 10. STABILITY AND REACTIVITY

#### Product AS SOLD

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: Acids Metals
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NO <sub>x</sub> ) Sulphur oxides Oxides of phosphorus

# SAFETY DATA SHEET

## GREASELIFT

### Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

#### Potential Health Effects

##### Product AS SOLD

Eyes : Causes serious eye damage.  
Skin : Causes severe skin burns.  
Ingestion : Harmful if swallowed. Causes digestive tract burns.  
Inhalation : May cause respiratory tract irritation. May cause nose, throat, and lung irritation.  
Chronic Exposure : Health injuries are not known or expected under normal use.

##### Product AT USE DILUTION

Eyes : Causes eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

#### Experience with human exposure

##### Product AS SOLD

Eye contact : Redness, Pain, Corrosion  
Skin contact : Redness, Pain, Corrosion  
Ingestion : Corrosion, Abdominal pain  
Inhalation : Respiratory irritation, Cough

##### Product AT USE DILUTION

Eye contact : Redness, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

#### Toxicity

##### Product AS SOLD

Acute oral toxicity : Acute toxicity estimate : 1,127 mg/kg  
Acute inhalation toxicity : 4 h Acute toxicity estimate : 6.56 mg/l  
Acute dermal toxicity : Acute toxicity estimate : 2,124 mg/kg

## SAFETY DATA SHEET

### GREASELIFT

Respiratory or skin sensitization : no data available  
Carcinogenicity : no data available  
Reproductive effects : no data available  
Germ cell mutagenicity : no data available  
Teratogenicity : no data available  
STOT - single exposure : no data available  
STOT - repeated exposure : no data available  
Aspiration toxicity : no data available

### Section: 12. ECOLOGICAL INFORMATION

#### Product AS SOLD Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

#### Product

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

#### Components

Toxicity to fish : Benzyl alcohol  
96 h LC50 Fish: > 100 mg/l

#### Components

Toxicity to daphnia and other aquatic invertebrates : monoethanolamine  
48 h EC50 Daphnia: 65 mg/l

#### Persistence and degradability

no data available

#### Bioaccumulative potential

no data available

#### Mobility in soil

no data available

#### Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

#### Product AS SOLD

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.  
Disposal considerations : Dispose of as unused product. Empty containers should be taken to



# SAFETY DATA SHEET

## GREASELIFT

an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

### Product AT USE DILUTION

Disposal methods : Diluted product can be flushed to sanitary sewer.

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

## Section: 14. TRANSPORT INFORMATION

### Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

#### Land transport (TDG)

UN number : 2491  
Description of the goods : ETHANOLAMINE SOLUTION  
Class : 8  
Packing group : III  
Environmentally hazardous : No

#### Sea transport (IMDG/IMO)

UN number : 2491  
Description of the goods : ETHANOLAMINE SOLUTION  
Class : 8  
Packing group : III  
Marine pollutant : No

### Product AT USE DILUTION

Not intended for transport.

## Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

**The components of this product are reported in the following inventories:**

#### United States TSCA Inventory :

On TSCA Inventory

#### Canadian Domestic Substances List (DSL) :

This product contains one or several components listed in the Canadian NDSL.

#### Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

#### New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

#### Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

#### Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

# SAFETY DATA SHEET

## GREASELIFT

**Korea. Korean Existing Chemicals Inventory (KECI) :**

On the inventory, or in compliance with the inventory

**Philippines Inventory of Chemicals and Chemical Substances (PICCS) :**

not determined


**China Inventory of Existing Chemical Substances :**

On the inventory, or in compliance with the inventory

### Section: 16. OTHER INFORMATION

#### Product AS SOLD

**NFPA:**




**HMIS III:**

<b>HEALTH</b>	<b>3</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

#### Product AT USE DILUTION

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>1</b>
<b>FLAMMABILITY</b>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Issuing date : 08/21/2015  
version : 1.0  
Prepared by : Regulatory Affairs 1-800-352-5326

**REVISED INFORMATION:** Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.