

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAINBLASTER ENZYME BOOST

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/10/2015

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable liquids : Category 3
Skin irritation : Category 2
Serious eye damage : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Danger

Hazard Statements : Flammable liquid and vapour.
Causes skin irritation.
Causes serious eye damage.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection.

Response:
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
glycerin	56-81-5	10 - 30
Organic sulfonic acid salt	27323-41-7	10 - 30
fatty acids, coco, compds. with triethanolamine	61790-64-5	5 - 10
alcohols, c12-16, ethoxylated	68551-12-2	1 - 5
propan-2-ol	67-63-0	1 - 5
triethanolamine	102-71-6	1 - 5
potassium hydroxide	1310-58-3	1 - 5
sodium metabisulphite	7681-57-4	1 - 5

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Get medical attention if irritation develops and persists.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Fire Hazard
Keep away from heat and sources of ignition.
Flash back possible over considerable distance.
Beware of vapours accumulating to form explosive concentrations.
Vapours can accumulate in low areas.

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Risk of explosion. : Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling.
- Conditions for safe storage : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 50 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of	Permissible	Basis
------------	---------	---------	-------------	-------

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

		exposure	concentration	
glycerin	56-81-5	TWA (Mist)	10 mg/m ³	CAD AB OEL
		TWA (Mist)	10 mg/m ³	CAD BC OEL
		VME (Mist)	10 mg/m ³	OEL (QUE)
glycerin	56-81-5	TWA	10 mg/m ³	ACGIH
		TWA (respirable fraction)	5 mg/m ³	OSHA Z1
propan-2-ol	67-63-0	TWA	200 ppm 492 mg/m ³	CAD AB OEL
		STEL	400 ppm 984 mg/m ³	CAD AB OEL
		TWA	200 ppm	CAD BC OEL
		STEL	400 ppm	CAD BC OEL
		VME	400 ppm 983 mg/m ³	OEL (QUE)
		STEV	500 ppm 1,230 mg/m ³	OEL (QUE)
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		STEL	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z1
triethanolamine	102-71-6	TWA	5 mg/m ³	CAD AB OEL
		TWA	5 mg/m ³	CAD BC OEL
		TWA	0.5 ppm 3.1 mg/m ³	CA ON OEL
		VME	5 mg/m ³	OEL (QUE)
triethanolamine	102-71-6	TWA	5 mg/m ³	ACGIH
potassium hydroxide	1310-58-3	(c)	2 mg/m ³	CAD AB OEL
		C	2 mg/m ³	CAD BC OEL
		C	2 mg/m ³	OEL (QUE)
potassium hydroxide	1310-58-3	Ceiling	2 mg/m ³	ACGIH
		Ceiling	2 mg/m ³	NIOSH REL
sodium metabisulphite	7681-57-4	TWA	5 mg/m ³	CAD AB OEL
		TWA	5 mg/m ³	CAD BC OEL
		VME	5 mg/m ³	OEL (QUE)
sodium metabisulphite	7681-57-4	TWA	5 mg/m ³	NIOSH REL
		TWA	5 mg/m ³	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : No special protective equipment required.

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

- Respiratory protection : No personal respiratory protective equipment normally required.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, yellow
- Odour : Perfumes, fragrances
- pH : 7.0 - 8.5, 100 %
- Flash point : 43 °C closed cup
- Odour Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : > 100 °C
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 0.99 - 1.19
- Water solubility : soluble
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, kinematic : 68.931 mm²/s (40 °C)
- Explosive properties : no data available
- Oxidizing properties : no data available
- Molecular weight : no data available
- VOC : no data available

Section: 10. STABILITY AND REACTIVITY

- Chemical stability : Stable under normal conditions.
- Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
- Conditions to avoid : Heat, flames and sparks.

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

Incompatible materials	: None known.
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes skin irritation.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Irritation
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.

Toxicity

Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available
STOT - repeated exposure	: no data available
Aspiration toxicity	: no data available

Components

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

Acute inhalation toxicity : propan-2-ol
4 h LC50 rat: > 30 mg/l

sodium metabisulphite
4 h LC50 rat: > 5.5 mg/l

Components

Acute dermal toxicity : glycerin
LD50 rabbit: 23,000 mg/kg

alcohols, c12-16, ethoxylated
LD50 rabbit: > 2,000 mg/kg

propan-2-ol
LD50 rabbit: 12,870 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : glycerin
96 h LC50 Fish: 855 mg/l

Organic sulfonic acid salt
96 h LC50: 2.5 mg/l

fatty acids, coco, compds. with triethanolamine
96 h LC50: 11,800 mg/l

alcohols, c12-16, ethoxylated
96 h LC50 Fish: 1.5 mg/l

propan-2-ol
96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l

triethanolamine
96 h LC50: 11,800 mg/l

sodium metabisulphite
96 h LC50 Fish: 150 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : propan-2-ol
LC50 Daphnia magna (Water flea): > 10,000 mg/l

triethanolamine
48 h EC50: 609.88 mg/l

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

Components

Toxicity to algae : triethanolamine
72 h EC50: > 100 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Not dangerous goods

Sea transport (IMDG/IMO)

UN number : 1987
Description of the goods : ALCOHOLS, N.O.S.
(Isopropanol)
Class : 3
Packing group : III
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

United States TSCA Inventory :
On TSCA Inventory

SAFETY DATA SHEET

STAINBLASTER ENZYME BOOST

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :


not determined

China Inventory of Existing Chemical Substances :

not determined

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	2
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 06/10/2015
version : 1.0
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAINBLASTER MAKEUP REMOVER

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)


Issuing date : 06/10/2015

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.
Storage:
Store locked up.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethylenediamine tetraacetate	64-02-8	30 - 60
Amphoteric surfactants	14960-06-6	1 - 5
sodium hydroxide	1310-73-2	0.1 - 1

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

Risk of explosion. : Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : -10 °C to 50 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	(c)	2 mg/m ³	CAD AB OEL
		C	2 mg/m ³	CAD BC OEL
		C	2 mg/m ³	OEL (QUE)
sodium hydroxide	1310-73-2	Ceiling	2 mg/m ³	ACGIH
		Ceiling	2 mg/m ³	NIOSH REL
		TWA	2 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/face protection.

Hand protection : Wear the following personal protective equipment:
Standard glove type.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

safety goggles and protective clothing

- Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : liquid
- Colour : clear, colourless
- Odour : slight
- pH : 11.5 - 13.5, 100 %
- Flash point : Not applicable., Does not sustain combustion.
- Odour Threshold : no data available
- Melting point/freezing point : no data available
- Initial boiling point and boiling range : > 100 °C
- Evaporation rate : no data available
- Flammability (solid, gas) : no data available
- Upper explosion limit : no data available
- Lower explosion limit : no data available
- Vapour pressure : no data available
- Relative vapour density : no data available
- Relative density : 1.2 - 1.35
- Water solubility : soluble
- Solubility in other solvents : no data available
- Partition coefficient: n-octanol/water : no data available
- Auto-ignition temperature : no data available
- Thermal decomposition : no data available
- Viscosity, kinematic : no data available
- Explosive properties : no data available
- Oxidizing properties : The substance or mixture is not classified as oxidizing.
- Molecular weight : no data available
- VOC : no data available

Section: 10. STABILITY AND REACTIVITY

- Chemical stability : Stable under normal conditions.
- Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

Conditions to avoid	: None known.
Incompatible materials	: Acids
Hazardous decomposition products	: Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough

Toxicity

Acute oral toxicity	: Acute toxicity estimate : 4,700 mg/kg
Acute inhalation toxicity	: no data available
Acute dermal toxicity	: no data available
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute dermal toxicity : Amphoteric surfactants
LD50 rabbit: 6,800 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : ethylenediamine tetraacetate
96 h LC50 Fish: 121 mg/l

Amphoteric surfactants
96 h LC50 Fish: 17.45 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : sodium hydroxide
48 h EC50: 40 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

UN number : 3267
Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(EDTA salt)
Class : 8
Packing group : III
Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 3267
Description of the goods : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.
(EDTA salt)
Class : 8
Packing group : III
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :


On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

STAINBLASTER MAKEUP REMOVER

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 06/10/2015
version : 1.0
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAINBLASTER GREASE REMOVER

Other means of identification : Not applicable.

Recommended use : Laundry product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 06/10/2015

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin irritation : Category 2
 Serious eye damage : Category 1
 Skin sensitization : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes skin irritation.
 May cause an allergic skin reaction.
 Causes serious eye damage.

Precautionary Statements : **Prevention:**
 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.
Response:
 IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.
 If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.
Disposal:
 Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
distillates (petroleum), hydrotreated light	64742-47-8	30 - 60
alcohols, c12-16, ethoxylated	68551-12-2	30 - 60
d-Limonene	5989-27-5	1 - 5

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during firefighting : Not flammable or combustible.
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Risk of explosion. : Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Do not flush into surface water or sanitary sewer system.

Section: 7. HANDLING AND STORAGE

Advice on safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling.

Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.

Storage temperature : 0 °C to 50 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m ³	CAD BC OEL
		TWA	200 mg/m ³	CAD AB OEL
		TWA	525 mg/m ³	CA ON OEL
		TWA (Mist)	5 mg/m ³	CAD AB OEL
		STEL (Mist)	10 mg/m ³	CAD AB OEL
		VME (Mist)	5 mg/m ³	OEL (QUE)
distillates (petroleum), hydrotreated light	64742-47-8	STEV (Mist)	10 mg/m ³	OEL (QUE)
		TWA	500 ppm 2,000 mg/m ³	OSHA Z1
		TWA	200 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
d-Limonene	5989-27-5	TWA	20 ppm 111 mg/m ³	CAD AB OEL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Personal protective equipment

Eye protection	: Wear eye protection/face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, light yellow
Odour	: citrus
pH	: 5 - 7, 100 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.844 - 0.874
Water solubility	: practically insoluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: 37.300 mm ² /s (40 °C)
Explosive properties	: no data available
Oxidizing properties	: no data available

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : None known.
Incompatible materials : None known.
Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.
Skin : Causes skin irritation. May cause allergic skin reaction.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion
Skin contact : Redness, Irritation, Allergic reactions
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Toxicity

Acute oral toxicity : Acute toxicity estimate : 3,218 mg/kg
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute dermal toxicity : alcohols, c12-16, ethoxylated
LD50 rabbit: > 2,000 mg/kg

d-Limonene
LD50 rabbit: > 5,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Toxic to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : distillates (petroleum), hydrotreated light
96 h LC50: > 1,000 mg/l

alcohols, c12-16, ethoxylated
96 h LC50 Fish: 1.5 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : distillates (petroleum), hydrotreated light
72 h EC50: > 1,000 mg/l

Components

Toxicity to algae : distillates (petroleum), hydrotreated light
48 h EC50: > 1,000 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Not dangerous goods

Sea transport (IMDG/IMO)

- UN number : 3082
- Description of the goods : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Limonene)
- Class : 9
- Packing group : III
- Marine pollutant : Yes

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

SAFETY DATA SHEET

STAINBLASTER GREASE REMOVER

not determined

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :


On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 06/10/2015
version : 1.0
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : STAIN BLASTER DESTAINER

Other means of identification : Not applicable.

Recommended use : Cleaning product

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency telephone number : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)


Issuing date : 06/10/2015

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1A
Serious eye damage : Category 1

GHS Label element

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF SWALLOWED: rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Wash contaminated clothing before reuse.
Storage:
Store locked up.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards : Mixing this product with acid or ammonia releases chlorine gas.

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
sodium hypochlorite	7681-52-9	1 - 5

Section: 4. FIRST AID MEASURES

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus

Special protective equipment for firefighters : Use personal protective equipment.

Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Risk of explosion. : Not available.

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Mixing this product with acid or ammonia releases chlorine gas.
- Conditions for safe storage : Keep out of reach of children. Store in suitable labeled containers.
- Storage temperature : 0 °C to 40 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hypochlorite	7681-52-9	STEL	2 mg/m ³	AIHA WEEL
chlorine	7782-50-5	TWA	0.5 ppm 1.5 mg/m ³	CAD AB OEL
		STEL	1 ppm 2.9 mg/m ³	CAD AB OEL
		TWA	0.5 ppm	CAD BC OEL
		STEL	1 ppm	CAD BC OEL
		STEV	1 ppm 2.9 mg/m ³	OEL (QUE)
		VME	0.5 ppm 1.5 mg/m ³	OEL (QUE)
chlorine	7782-50-5	TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH
		Ceiling	0.5 ppm 1.45 mg/m ³	NIOSH REL
		C	1 ppm 3 mg/m ³	OSHA Z1

- Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Personal protective equipment

Eye protection	: Wear eye protection/face protection.
Hand protection	: Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: cloudy, light yellow
Odour	: Chlorine
pH	: 10.5 - 11.5, 100 %
Flash point	: Not applicable., Does not sustain combustion.
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 1.03 - 1.07
Water solubility	: soluble
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Oxidizing properties : Yes
Molecular weight : no data available
VOC : no data available

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid : None known.
Incompatible materials : Acids
Metals
Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Potential Health Effects

Eyes : Causes serious eye damage.
Skin : Causes severe skin burns.
Ingestion : Causes digestive tract burns.
Inhalation : May cause nose, throat, and lung irritation.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : Redness, Pain, Corrosion
Skin contact : Redness, Pain, Corrosion
Ingestion : Corrosion, Abdominal pain
Inhalation : Respiratory irritation, Cough

Toxicity

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity : no data available
Acute dermal toxicity : no data available
Skin corrosion/irritation : no data available

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Serious eye damage/eye irritation : no data available

Respiratory or skin sensitization : no data available

Carcinogenicity : no data available

Reproductive effects : no data available

Germ cell mutagenicity : no data available

Teratogenicity : no data available

STOT - single exposure : no data available

STOT - repeated exposure : no data available

Aspiration toxicity : no data available

Components

Acute inhalation toxicity : sodium hypochlorite
4 h LC50 rat: > 5.25 mg/l

Components

Acute dermal toxicity : sodium hypochlorite
LD50 rabbit: > 10,000 mg/kg

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life.

Product

Toxicity to fish : 96 h LC50: 20.0 mg/l

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to daphnia and other aquatic invertebrates : sodium hypochlorite
48 h EC50: 0.071 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

- Disposal methods : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :

On the inventory, or in compliance with the inventory

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :


On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

STAIN BLASTER DESTAINER

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 06/10/2015
version : 1.0
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.