

Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

Other means of identification : Not applicable.

Recommended use : Air Freshener

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 10/15/2019

Section: 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable aerosols : Category 2
 Skin irritation : Category 2
 Eye irritation : Category 2A
 Skin sensitization : Sub-category 1B
 Specific target organ toxicity - single exposure : Category 3 (Central Nervous System)

GHS Label element

Hazard pictograms :  

Signal Word : Warning

Hazard Statements : Flammable aerosol.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Intentional misuse by deliberate inhalation may be harmful or fatal.
Response:
IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

CENTER or doctor/ physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention.

Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
ethanol	64-17-5	10 - 30
2-methylpentane-2,4-diol	107-41-5	10 - 30
propane	74-98-6	10 - 30
Summer Linen Fragrance		10 - 30
butane	106-97-8	10 - 30

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.
- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during : Pressurized container: May burst if heated.

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

firefighting	Flammable aerosols
Hazardous combustion products	: Decomposition products may include the following materials: Carbon oxides
Special protective equipment and precautions for firefighters	: Use personal protective equipment.
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
Risk of explosion.	: Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so.

Section: 7. HANDLING AND STORAGE

Advice on safe handling	: Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Contents under pressure. Do not puncture. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	: Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	: 5 °C to 45 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	CAD AB OEL
		STEL	1,000 ppm	CAD BC OEL
		VME	1,000 ppm 1,880 mg/m ³	OEL (QUE)
ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z1
2-methylpentane-2,4-diol	107-41-5	(c)	25 ppm 121 mg/m ³	CAD AB OEL

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

		C	25 ppm	CAD BC OEL
		C	25 ppm 121 mg/m ³	OEL (QUE)
2-methylpentane-2,4-diol	107-41-5	Ceiling	25 ppm 125 mg/m ³	NIOSH REL
		TWA (Vapour.)	25 ppm	ACGIH
		STEL (Vapour.)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m ³	ACGIH
propane	74-98-6	TWA	1,000 ppm	CAD AB OEL
		VME	1,000 ppm 1,800 mg/m ³	OEL (QUE)
propane	74-98-6	TWA	1,000 ppm 1,800 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m ³	OSHA Z1
butane	106-97-8	TWA	1,000 ppm	CAD AB OEL
		VME	800 ppm 1,900 mg/m ³	OEL (QUE)
butane	106-97-8	TWA	800 ppm 1,900 mg/m ³	NIOSH REL
		STEL	1,000 ppm	ACGIH

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

- Eye protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Hand protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Skin protection : No special protective equipment required.
- Respiratory protection : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : Aerosol.
- Colour : clear, amber
- Odour : aromatic
- pH : 7.0, (100 %)
- Flash point : Not applicable., Sustains combustion
- Odour Threshold : no data available
- Melting point/freezing point : no data available

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

Initial boiling point and boiling range	: no data available
Evaporation rate	: no data available
Flammability (solid, gas)	: Not applicable.
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.6 - 0.8
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available
Molecular weight	: no data available
VOC	: no data available
Heat of combustion	: 23.99 kJ/g

Section: 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: In case of fire hazardous decomposition products may be produced such as: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact, Skin contact

Potential Health Effects

Eyes	: Causes serious eye irritation.
Skin	: Causes skin irritation. May cause allergic skin reaction.

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

- Ingestion : Health injuries are not known or expected under normal use.
- Inhalation : Inhalation may cause central nervous system effects. Intentional misuse by deliberate inhalation may be harmful or fatal.
- Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

- Eye contact : Redness, Pain, Irritation
- Skin contact : Redness, Irritation, Allergic reactions
- Ingestion : No symptoms known or expected.
- Inhalation : Dizziness, Drowsiness

Toxicity

Product

- Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
- Acute inhalation toxicity : no data available
- Acute dermal toxicity : no data available
- Skin corrosion/irritation : no data available
- Serious eye damage/eye irritation : no data available
- Respiratory or skin sensitization : no data available
- Carcinogenicity : no data available
- Reproductive effects : no data available
- Germ cell mutagenicity : no data available
- Teratogenicity : no data available
- STOT - single exposure : no data available
- STOT - repeated exposure : no data available
- Aspiration toxicity : no data available

Components

- Acute inhalation toxicity : ethanol
4 h LC50 rat: 117 mg/l
Test atmosphere: vapour
- 2-methylpentane-2,4-diol
4 h LC50 rat: > 1.1 mg/l
Test atmosphere: dust/mist

Components

- Acute dermal toxicity : ethanol
LD50 rabbit: > 15,800 mg/kg
- 2-methylpentane-2,4-diol
LD50 rat: > 2,000 mg/kg

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : Harmful to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol
96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : 2-methylpentane-2,4-diol
48 h EC50 Daphnia: 2,800 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Disposal methods : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

UN number : 1950

Description of the goods : AEROSOLS

Class : 2.1 (8)

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

Environmentally hazardous : No

Sea transport (IMDG/IMO)

UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

Switzerland. New notified substances and declared preparations :
not determined

United States TSCA Inventory :
All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :
This product contains one or several components listed in the Canadian NDSL.

Australia. Industrial Chemical (Notification and Assessment) Act :
not determined

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :
not determined

Japan. ENCS - Existing and New Chemical Substances Inventory :
not determined

Korea. Korean Existing Chemicals Inventory (KECI) :
not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :
On the inventory, or in compliance with the inventory


Taiwan Chemical Substance Inventory :
not determined

Section: 16. OTHER INFORMATION

SAFETY DATA SHEET

FIRST IMPRESSION SUMMER LINEN MICRO AEROSOL

NFPA:



HMIS III:

HEALTH	2*
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 10/15/2019
Version : 2.0
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.