

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL
Section: 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

Other means of identification : Not applicable.

Recommended use : Metal Cleaner

Restrictions on use : Reserved for industrial and professional use.

Product dilution information : Product is sold ready to use.

Company : Ecolab Co.
5105 Tomken Road
Mississauga, Ontario Canada L4W 2X5
1-800-352-5326

Emergency health information : 1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date : 08/20/2015

Section: 2. HAZARDS IDENTIFICATION
GHS Classification

Flammable aerosols : Category 2

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Flammable aerosol.

Precautionary Statements : **Prevention:**
Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Intentional misuse by deliberate inhalation may be harmful or fatal.
Storage:
Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Other hazards : None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Chemical Name	CAS-No.	Concentration: (%)
white mineral oil, petroleum	8042-47-5	10 - 30
Aliphatic hydrocarbons	106-97-8	5 - 10

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

distillates (petroleum), hydrotreated light
propane

64742-47-8
74-98-6

5 - 10
5 - 10

Section: 4. FIRST AID MEASURES

- In case of eye contact : Rinse with plenty of water.
- In case of skin contact : Rinse with plenty of water.
- If swallowed : Rinse mouth. Get medical attention if symptoms occur.
- If inhaled : Get medical attention if symptoms occur.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : No specific measures identified.
- Most important symptoms and effects, both acute and delayed : See Section 11 for more detailed information on health effects and symptoms.

Section: 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Pressurized container: May burst if heated.
Flammable aerosols
- Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
- Special protective equipment for firefighters : Use personal protective equipment.
- Specific extinguishing methods : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.
- Risk of explosion. : Not available.

Section: 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
- Methods and materials for containment and cleaning up : Stop leak if safe to do so.

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

Section: 7. HANDLING AND STORAGE

- Advice on safe handling : Contents under pressure. Do not puncture. Wash hands thoroughly after handling.
- Conditions for safe storage : Keep in a cool, well-ventilated place. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
- Storage temperature : 0 °C to 45 °C

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
white mineral oil, petroleum	8042-47-5	TWA (Mist)	1 mg/m ³	CAD BC OEL
		TWA (Mist)	5 mg/m ³	CAD AB OEL
		STEL (Mist)	10 mg/m ³	CAD AB OEL
		VME (Mist)	5 mg/m ³	OEL (QUE)
		STEV (Mist)	10 mg/m ³	OEL (QUE)
white mineral oil, petroleum	8042-47-5	TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Inhalable fraction)	5 mg/m ³	ACGIH
Aliphatic hydrocarbons	106-97-8	TWA	1,000 ppm	CAD AB OEL
		TWA	600 ppm	CAD BC OEL
		STEL	750 ppm	CAD BC OEL
		VME	800 ppm 1,900 mg/m ³	OEL (QUE)
		TWA	800 ppm	CA ON OEL
Aliphatic hydrocarbons	106-97-8	TWA	800 ppm 1,900 mg/m ³	NIOSH REL
		STEL	1,000 ppm	ACGIH
		TWA	200 mg/m ³	CAD BC OEL
distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m ³	CAD AB OEL
		TWA	525 mg/m ³	CA ON OEL
		TWA (Mist)	5 mg/m ³	CAD AB OEL
		STEL (Mist)	10 mg/m ³	CAD AB OEL
		VME (Mist)	5 mg/m ³	OEL (QUE)
		STEV (Mist)	10 mg/m ³	OEL (QUE)
		TWA	500 ppm 2,000 mg/m ³	OSHA Z1
distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m ³	ACGIH
		TWA (Mist)	5 mg/m ³	OSHA Z1
		TWA (Mist)	5 mg/m ³	NIOSH REL
		STEL (Mist)	10 mg/m ³	NIOSH REL
		TWA	1,000 ppm	CAD AB OEL
propane	74-98-6	TWA	1,000 ppm	CAD BC OEL
		TWA	1,000 ppm	CAD AB OEL
		VME	1,000 ppm 1,800 mg/m ³	OEL (QUE)
		TWA	1,000 ppm	CA ON OEL
		TWA	1,000 ppm	CA ON OEL

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

propane	74-98-6	TWA	1,000 ppm 1,800 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m ³	OSHA Z1

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Eye protection : No special protective equipment required.

Hand protection : No special protective equipment required.

Skin protection : No special protective equipment required.

Respiratory protection : No personal respiratory protective equipment normally required.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: opaque, white
Odour	: citrus
pH	: Not applicable.
Flash point	: Not applicable., Sustains combustion
Odour Threshold	: no data available
Melting point/freezing point	: no data available
Initial boiling point and boiling range	: > 100 °C
Evaporation rate	: no data available
Flammability (solid, gas)	: no data available
Upper explosion limit	: no data available
Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.8802
Water solubility	: no data available
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: 3100.000 mm ² /s (40 °C)
Explosive properties	: no data available

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

Oxidizing properties : no data available
Molecular weight : no data available
VOC : no data available
Heat of combustion : 10.04 kJ/g

Section: 10. STABILITY AND REACTIVITY

Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.
Conditions to avoid : None known.
Incompatible materials : None known.
Hazardous decomposition products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Eye contact, Skin contact

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.
Skin : Health injuries are not known or expected under normal use.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Intentional misuse by deliberate inhalation may be harmful or fatal.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.
Skin contact : No symptoms known or expected.
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Toxicity

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity : no data available
Acute dermal toxicity : Acute toxicity estimate : > 5,000 mg/kg

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

Skin corrosion/irritation : no data available
Serious eye damage/eye irritation : no data available
Respiratory or skin sensitization : no data available
Carcinogenicity : no data available
Reproductive effects : no data available
Germ cell mutagenicity : no data available
Teratogenicity : no data available
STOT - single exposure : no data available
STOT - repeated exposure : no data available
Aspiration toxicity : no data available

Components

Acute inhalation toxicity : Aliphatic hydrocarbons
4 h LC50 rat: 280000 ppm

Section: 12. ECOLOGICAL INFORMATION

Ecotoxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available
Toxicity to daphnia and other aquatic invertebrates : no data available
Toxicity to algae : no data available

Components

Toxicity to fish : white mineral oil, petroleum
96 h LC50 Oncorhynchus mykiss (rainbow trout): > 100 mg/l

Aliphatic hydrocarbons
96 h LC50 Fish: 22.03 mg/l

distillates (petroleum), hydrotreated light
96 h LC50: > 1,000 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : distillates (petroleum), hydrotreated light
72 h EC50: > 1,000 mg/l

Components

Toxicity to algae : distillates (petroleum), hydrotreated light
48 h EC50: > 1,000 mg/l

Persistence and degradability

no data available

Bioaccumulative potential

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

- Disposal methods : Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.
- Disposal considerations : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (TDG)

- UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Environmentally hazardous : No

Sea transport (IMDG/IMO)

- UN number : 1950
Description of the goods : AEROSOLS
Class : 2.1
Marine pollutant : No

Section: 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Industrial Chemical (Notification and Assessment) Act :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

not determined

SAFETY DATA SHEET

KEYSTONE SATIN SHINE STAINLESS STEEL CLEANER & POLISH AEROSOL

Japan. ISHL - Inventory of Chemical Substances (METI) :
not determined


Korea. Korean Existing Chemicals Inventory (KECI) :
On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :
On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :
On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Issuing date : 08/20/2015
version : 1.1
Prepared by : Regulatory Affairs 1-800-352-5326

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.